

Part Number : 1061520100

Series Number : 106152 Product Category : Fiber Optic Adapters

#### **Documents & Resources**

Drawings

Drawing 1061520100\_sd.pdf

### Product Environment Compliance

#### Compliance

| GADSL/IMDS         | Not Relevant                                      |
|--------------------|---|
| China RoHS         | <b>(</b>  |
| EU ELV             | Not Relevant                                      |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-<br>21            |
| REACH SVHC         | Not Contained per D(2023)3788-DC<br>(14 Jun 2023) |
| EU RoHS            | Compliant per EU 2015/863                         |

Multiple Part Product Compliance Statements

- Eu RoHS

- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

#### **Part Details**

General

Product Description : FC Adapter, Metal Body, Ceramic Alignment Sleeve, Square Flange Mount Style, Standard Key (Bulk 100 pieces) Status : Active Engineering Number : 861520100

| Status         | Active   |
|----------------|--|
| Category       | Fiber Optic Adapters   |
| Series         | 106152   |
| Description    | FC Adapter, Metal Body, Ceramic<br>Alignment Sleeve, Square Flange<br>Mount Style, Standard Key (Bulk<br>100 pieces) |
| Comments       | Standard fit key is compatible with<br>JIS C 5970 standard   |
| Component Type | Standard   |
| Mode           | Singlemode and Multimode   |
| Product Name   | FC   |
| Туре           | Adapter  |
| UPC            | 822350280013   |

## Electrical

| Shield Type | N/A |
|-------------|-----|
| Shielded    | No  |

# Physical

| Alignment Sleeve              | Ceramic       |
|-------------------------------|---------------|
| Angled Physical Contact (APC) | N/A           |
| Color - Resin                 | N/A           |
| Ferrule Material              | Zirconia      |
| Gender                        | Female-Female |
| Material - Housing            | Metal         |
| Mounting Style                | Screws        |
| Net Weight                    | 5.279/g       |
| Orientation                   | Straight      |
| Panel Mount                   | With Flange   |
| Ports                         | 1             |
| Shutter                       | No            |

#### Solder Process Data

| Lead-Free Process Capability | N/A |
|------------------------------|-----|
|------------------------------|-----|

This document was generated on Apr 10, 2024