# SAC-VP-SEAL-SIL/RD OD - Seal

1410695

https://www.phoenixcontact.com/us/products/1410695

**PHŒNIX** CONTACT


Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Seal set for valve connectors A and AD, for outdoor applications, consisting of silicone seal and latching



### Commercial data

Item number	1410695
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BF46
Product key	BF1ZVX
GTIN	4046356907057
Weight per piece (including packing)	1.72 g
Weight per piece (excluding packing)	1.62 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/us/products/1410695




## Technical data

#### Product properties

	Product type	Seal
Material specifications		
	Material	PA 6
	Seal material	Silicon

### Environmental and real-life conditions


Ambient conditions		
Degree of protection	IP65	
	IP67	
	IP68	
	IP66K	
Ambient temperature (operation)	-40 °C 85 °C	



https://www.phoenixcontact.com/us/products/1410695




## Drawings




Seal with latching

Dimensional drawing



Seal with latching, side view



https://www.phoenixcontact.com/us/products/1410695




# Classifications

#### ECLASS

ECLASS-11.0	27440192
ECLASS-12.0	27440192
ECLASS-13.0	27440192

#### ETIM

	ETIM 9.0	EC002943	
UN	UNSPSC		
	UNSPSC 21.0	39121400	



https://www.phoenixcontact.com/us/products/1410695



### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com